



	μ.		1501- +	( 17/07-09-2016)	
μ					
38.20.03	12	μ μ , μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
38.20.02	13	μ μ , B500C.	01-02-01-00 *	μ μ	01-02-01-00
01.1	14	μ	05-03-03-00 *	μ	05-03-03-00
.1	15	μ μ μ μ			
. 1	16	μ	05-02-02-00 *	- μ	05-02-02-00
75.41.03	17	μ μ /μ 2,00 m μ μ μ , 5/ 2 cm ( )	03-07-03-00 *	μ	03-07-03-00
74.30.05	18	μ , 3 cm, μ μ 5 μ μ , μ	03-07-03-00 *	μ	03-07-03-00
11.13.1	19		05-05-06-00		
6446.1	20	μ 5mm μ ( )- μ			
\54.80.01.	21	( )			
77.16	22	μ μ μ	03-10-05-00		
77.96	23				
77.54	24	μ μ μ μ	03-10-01-00		
65.05	25	μ	03-08-03-00 *	μ μ	03-08-03-00
64.16.03	26	μ μ , 2"			
77.55	27	μ μ μ μ	03-10-03-00		
800	28	μ μ			
801	29	( ) μ μ			
52.80.03	30	μ μ 2,5 cm			
72.70.2	31	μ μ			
64.01.01	32	μ μ μ			
11.15.04	33	mm, μ 125 μ 1433, μ 150 μ	08-07-01-06		
07	34	μ μ	02-07-05-00		
08	35	μ μ μ	10-05-01-00		

	μ.		1501- +	( 17/07-09-2016)	
μ					
02.2	36	μ , 2	10-09-01-00		
09.4	37	μ μ μ 2,00 - 4,00 lt	10-05-01-00		
.	38	μ μ			
4.1	39	μ 4 m			
9312	40	μ μ			

μ

μ μ μ ,