αναλυτικά εργαστήρια αθηνών α.ε

Εργαστηριακές Αναλύσεις, Μελέτες - Εφαρμογές

ȹȽɆȻɃ ȹɃȽȻ ȻȽȾɃ Ȼ ȷ ȿȷ ȘɄɆȻɆ

ȷ ȴ. ȹȘȷ ȿȷ : **17-0844-010-0424-01**

Ȼ ε/ɜ ȎȘȷ ȿȷ : **20/3/2017**

ȷ ȴ. Ȏȷȿ : **1**

ȘȽ ű. ȸȸ. ȻȻȻ 104 Ȧȷ ȸɜȸ 115 27

Ʉ ȻȻȻ ȻȸȻ ȸȸȻ: ȦȻ ȸȸȻ 127 Ȧȿ. ȽɜȽ 142 32

Ȼȸ: +30 210 7470500-502 Ȧȸ: +30 210 7470501 Ȧemail: waternet@ergastiria.gr Ȧwebsite: www.ergastiria.gr

Ȼ ȷ ȷ ȷ ȷȷ

ȷ ȴ. ȹȷ 102

ȻȻȻ Ȧȴ ȹȦȘȷ Ȼ	: ȸȻ ȻȻ Ȼȷ ȿȷ ȖȦȷ Ȼ - ȸȻ ȻȻȽȻ ȦȿȻȻȻȷ ȻȻ Ȼ ȷ Ȼȷ ȦȽȻɄ, ȻȸȻȻ ȹȷ ȻȻ ȦȖȽȻȸ ȿ Ȼȷ ȿȴ Ȧȷ ȸ ȿ 1,, 32009, ȻȻ Ȼ Ȼ ȷ Ȼȷ ȦȽ		
Ʉ ȸ ȸȸȸ ȸȸȸȸ ȸȸ	: ȷ ȿȷ ȘɄȻȽȷ ȦȦȖȷ ȻȻȻ Ȧȴ		
Ȼ ε/ɜ ȸȸȸȸȸ	: 14/03/2017	Ȼ ε/ɜ ȸȸȸ ȸȸȸ ȸȸ	: 14/3/2017
Ȼ ε/ɜ ȷ ȸȸȸ	: 14/03/2017	Ȼ ε/ɜ ȷ ȸȸȸ ȸȸȸ	: 17/3/2017
Ȼ ȸ ȸȸȸ ȸȸȸ	: **27110424**	Ƚȸȸ ȷ ȸȸȸȸ	: Ƚȷ ȿȻȽȻ
Ȼȸȸ	: **ȿȦȦȻ ȷ ȹȻ ȸȦɄȻȻ ȹȷ ȽȸȽȻȻ ȷ ȷ Ȧȷ Ȼ ȹȘȻȻȻȿ ȸȻ Ȼ ȷ Ȧȷ ȦȽȻɄ - Ȼ Ȼ Ȼ ȷ Ȼȷ ȦȽ**		

ȹȷ ȸȸ ȸȸ	Ȼ ȸȸȸȸ	Ȼ ȸȸȸ	ȹȷ ȸȸ ȸȸ Ȼȸȸ	ȷ ȸȸȸȸȸ
ȷ ȸ ȸȸȸȸ ȸȸ ȸȸ ȸȸȸȸȸȸ 22ȦC	ISO 6222:1999	cfu/ml	ȸȸȸ ȸȸȸȸȸ	0
ȷ ȸ ȸȸȸȸ ȸȸ ȸȸ ȸȸȸȸȸȸ 37ȦC	ISO 6222:1999	cfu/ml	ȸȸȸ ȸȸȸȸȸ	0
Ƚȸȸȸȸȸȸ ȸȸȸȸ	ISO 9308-1:2014	cfu/100ml	0	0
Escherichia coli	ISO 9308-1:2014	cfu/100ml	0	0
Intestinal Enterococci	ISO 7899-2:2000	cfu/100ml	0	0
Clostridium perfrigens (ȸȸ ȸ ȸȸȸȸȸȸ ȸȸȸ ȸȸ)	ISO 14189:2013	cfu/100ml	0	0

ȹȷ Ȧȷ ȻȻȦȻȻȦȽ

1. Ȼȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸ 27110424 ȸȸ ȸ ȸȸȸȸȸȸȸȸȸȸ, ȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸ Ƚȸȸȸ Ʉ ȸȸȸ ȸȸȸȸ Ʉ2/2600/2001 (ȖȦȽ 892/ȸ/11-07-2001), ȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸ.

2. Ȼȸȸ Ƚȸȸȸ Ʉ ȸȸȸ ȸȸȸȸ Ʉ2/2600/2001 (ȖȦȽ 892/ȸ/11-07-2001), ȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸ.

Ȼ Ʉ ȸ ȸȸȸȸ
ȸȸ Ȧȷ ȸȸȸȸȸ

ȸȸȸ ȸȸȸȸ Ȧȸȸ

DVM, Ȼ ȸȸȸȸȸȸȸȸ - Ʉȸȸȸȸȸȸȸȸ MSc

Ȧ ȸȸȸȸȸȸȸȸȸ ȸȸȸȸȸȸȸ

Ȼȸȸȸ.
Ȼȸȸ.
* ȸȸȸȸ ȸȸȸȸ ȸȸȸȸȸ.

αναλυτικά εργαστήρια αθηνών α.ε

Εργαστηριακές Αναλύσεις, Μελέτες - Εφαρμογές

ЀĿƐ ȼ Ƀ ЀɃ Łȼ ȼ ŁȾ Ƀ ȷ ʔ ȷ ʂ Ɉ Ɛ ȼ Ɛ

ȷ ɟ . Ѐɷ̈́ Ǖ ´ ɞɛ ʄ ʯ ɞɨ : 17-0844-010-0424-02

ȼ ɛ/ɜ ǳ Ǒ ǝǔ ɞ ů ɖ ʛ : 20/3/2017

ȷ ɟ . Ǒ ǝǔ ɞ ů ɖ ʛ : 1

ɸɞɛɶʏɠ

ȷ ɟ . Ѐɷ̈́ Ǔ 102

ʂ Ǘ ŕ ű . ȡ Ǔ ů . Ɇ ɞ ű ȡ ʛ 104 Å ȷ ȡ ɐ ɜ Ǔ 115 27

Ɉ ´ ɞ ǝ Ǔ Ǘ ŕ ů ɖ ɛ Ǔ . Ⱥ ɵ ȡ ů ɞ ɸ ɛ ɐ ɞ ɠ 127 Å ʔ . ȴ ŕ ɜ ȡ Ǔ 142 32

ȼ ɖ ɵ: +30 210 7470500-502 Åǔ Ǘɷ: +30 210 7470501 Åemail: waternet@ergastiria.gr Åwebsite: www.ergastiria.gr

Ɇ ȼ Ƀ ɟ Ⱥ ɟ Ѐ Ⱥ ʂ ȷ ȼ ȼ	:	**ɸ ȼ ƶ Ƀ Ɛ ȼ ȷ ʔ ȷ ũ Λ ȷ Ɛ - ɸ ȼ ƶ Ƀ ȼ ŁȾ ȼ Ⱥ ʔ Ƀ ȼ ȼ ȼ ȷ Ɇ ȷ ȼ ƶ ȷ ȼ ȷ Λ ȴ Ƀ Ɉ, Ƀ ɸ Ƀ Ɛ Ѐ ȷ ƶ ƶ Ⱥ ũ ȴ Ɛ ȼ ɋ ʔ ȼ ȷ ʔ ɟ Λ ȷ ɋ ʔ 1,, 32009, Ɇ ȷ ȼ ƶ ȷ ȼ ȷ Λ Ƚ**		
Ɉ ´ ů ɖ ɜ ɞ ʛ ǔ ů ɛ Ǔ ɞ ǝ ɖ ɣ ȡ ʛ	:	ȷ ʔ ȷ ʂ Ɉ ȼ ŁȾ ȷ Ⱥ Λ ũ ȷ Ɇ ȼ ȼ Λ ɟ		
ȼ ɛ/ɜ ǳ ǔ ů ɛ Ǔ ɞ ǝ ɖ ɣ ȡ ʛ	:	14/03/2017	ȼ ɛ/ɜ ǳ ɣ ɜ Ǔ ɟ ɜ ɖ ʛ Ǔ ǝ ɵ ů ů ŕ ɜ	: 14/3/2017
ȼ ɛ/ɜ ǳ ´ Ǔ ɟ Ǔ ǝ Ǔ ɞ ɐ ʛ	:	14/03/2017	ȼ ɛ/ɜ ǳ ´ ů ʏ Ǘ ŕ ů ɖ Ǔ ǝ ɵ ů ů ŕ ɜ	: 17/3/2017
Ⱦ ɤ ǔ ɞ ɸ ɟ ʛ ǔ ů ɛ Ǔ ɞ ʛ	:	**27110424**	Ⱦ Ǔ Ǘ ŕ ů Ǖ ɖ ´ Ǔ ɟ Ǔ ǝ Ǔ ɞ ɐ ʛ	: Ⱦ ȷ ʔ Ƀ ʔ ŁȾ ȼ
ȼ Ǔ ɠ Ǘ ɟ ɟ ǳ ǔ ů ɛ Ǔ ɞ ʛ	:	**ʔ Ⱥ Λ Ƀ ȷ ЀɃ ȡ Λ Ɉ Ɛ ȼ Ѐ ȷ ȴ ɸ ŁȾ ȼ Ɛ ȷ ȷ Λ ȷ Ɛ Ѐ ʂ ȼ Ɛ ȴ Ƀ ʔ ɸ ȼ ƶ ȷ Λ ȷ Ⱥ ȴ Ƀ Ɉ - Ɇ ȷ ȼ ƶ ȷ ȼ ȷ Λ Ƚ**		

Ѐ Ǔ ɟ ʏ ɛ Ǘ ɟ ɞ ɠ	ƶ ɣ ɖ ɞ ǔ ɞ ʛ	ƶ ɞ ɜ ʏ ǔ Ǔ	ȳ ɟ ɷ ȷ ɜ ɞ ɜ Ǖ ů ɖ ʛ	Ѐ Ǔ ɟ Ǔ ɛ Ǘ ɟ ɷ ɐ ȼ ɛ ɐ	ȷ ´ ɞ ʏ ǝ ů ɛ Ǔ
Ɇ ɠ ɔ ǝ ɣ ɜ Ǘ ɟ ɤ ů ɖ ɟ ɜ ŕ ɜ ɠ ǔ ɟ ɞ ɔ ɟ ɜ ɞ (pH) - 25Ⱥ	ISO 10523:2008	pH units	-	6.5 - 9.5	8.2
ȼ ǝ ů ɸ Ǘ ɷ ɐ ȷ ɔ ɤ ɔ ɛ ɟ ǖ ǳ - 25Ⱥ	ISO 7888:1985	ɛS/cm	10	< 2500	274
Ǔ ɞ ǝ ɟ ǖ ǳ	ISO 7027:1999	FNU	0.02	-	0.15
ɟ ɟ ɩ ɛ Ǔ	Ⱥ ʂ Ƀ ȼ Ⱥ ʔ ISO 7887	mg/l Pt	1.5	-	<5
Ƀ ů ɛ ɐ	Ƀ ɟ ɔ Ǔ ɞ ɞ ǝ ɖ ´ ǖ ɸ ʏ (*)		-	-	ȷ ´ ɞ ǔ ů ǖ ɐ
ũ ů ů ɖ	Ƀ ɟ ɔ Ǔ ɞ ɞ ǝ ɖ ´ ǖ ɸ ʏ (*)		-	-	ȷ ´ ɞ ǔ ů ǖ ɐ
ȷ ɟ ɔ ɞ ɸ ɞ (Al)	Ƀ Ⱥ 072-93 (ICP-MS)	ɛg/l	0.20	< 200.0	93
ɟ ɟ ɩ ɛ ɞ (Cr)	Ƀ Ⱥ 072-93 (ICP-MS)	ɛg/l	0.01	< 50.0	0.28
ɟ ǝ ɟ ɞ (Ɉ ´ ɞ ǝ ů ɛ Ǔ ǖ ɸ ɟ)	Ƀ Ⱥ Ƀ 72-70 (UV)	mg/l	0.015	-	0.30
ȷ ɛ ɛ ɩ ɜ ɞ (NH4)	ISO 7150-1:1984	mg/l	0.01	< 0.5	ɸ ů ɞ ȷ ɜ ɞ ů ȡ ɖ ǝ ů

Ѐ ȷ Λ ȷ ȼ ȼ Λ ȼ Ɇ Ⱥ ȴ Ɇ

1. Ƀ ǝ ǖ ɸ ɣ ʛ Ǘ ŕ ɜ Ǔ ´ ɞ ǖ ů ǖ ɛ ʏ Ǘ ŕ ɜ ɔ ǝ Ǔ ǖ ǔ ů ɛ Ǔ ɛ ů ǝ ɤ ǔ ɸ ɟ Ǔ ɟ ɷ ɛ ɟ ǔ ů ɛ Ǔ ɞ ʛ 27110424 ǖ ɞ ´ Ǔ ɟ ɟ ɜ ǖ ɞ ʛ ´ ɷ̈́ ǖ ´ ɞ ɛ ɖ ǖ ɸ ɞ ɨ , ů ɛ Ǔ ǝ ů Ǘ ʛ Ǘ ŕ ɜ ɞ ɟ ɸ ɤ ɜ ´ ɞ ɠ ǝ Ǔ ȡ ɟ ɞ ɜ ǖ ǝ ů ů ɖ ɜ Ⱦ ɞ ɸ ɐ Ɉ ´ ɞ ɟ ɔ ɸ ɐ ȷ ´ ɟ ű Ǔ ů ɖ Ɉ 2/2600/2001 (ũ Ⱥ Ⱦ 892/ȡ/11-07-2001), ɟ ´ ɤ ʛ Ǘ ɞ ´ ɞ ´ ɞ ɐ ȡ ɖ ǝ ů ǝ Ǔ ɷ ɨ ů ɛ ɣ ɟ ǝ ů ɛ ɐ Ǘ Ǔ.

2. ȼ Ǔ Ǔ ´ ɞ ǖ ů ɣ ů ɛ Ǔ ǖ Ǘ ŕ ɜ Ǔ ɜ Ǔ ǝ ɵ ů Ǘ ŕ ɜ ů ɞ ǖ ǖ ɞ ɜ ǖ ɸ ɛ ɟ ɜ ɞ ɛ ů ǖ ǖ ǔ ů ɛ Ǔ ǖ ǖ ǝ Ǔ ǝ ǖ ɞ ʛ ´ Ǔ ɟ Ǔ ɛ ɣ Ǘ ɞ ɠ ʛ ´ ɞ Ǔ ɜ Ǔ ǝ ɵ ȡ ɖ ǝ ǖ ɜ ǝ Ǔ ǝ ǔ ů ɜ Ǘ ɞ ɟ ɞ ɨ ɜ ů ɖ ů ɠ ɜ ɞ ɸ ɐ ´ ɞ ʄ ɟ ǖ ǳ Ǘ ɞ ʛ ɜ Ǘ ɟ ɞ ɨ , ɞ ɞ ´ Ǔ ɟ ʏ ɛ Ǘ ɟ ɞ ǝ ǖ ɞ ɞ ´ ɞ ɞ ɠ ´ ɟ ɣ ´ ů ɜ Ǔ ů ǖ Ǔ ǝ ǖ ɛ ŕ ɤ ɜ ʛ ɛ ů ɟ ǝ ɟ ʛ ů ǝ ů ǖ ɞ ʛ ´ ɞ ɠ ´ ɟ ɞ ƀ ǝ ɣ ´ ɞ ɜ ǖ ǖ ǝ Ǔ ɟ ǖ ɖ ɜ ɷ̈́ ɨ ɞ ɠ ů Ǔ Ⱥ ȡ ɜ ɞ ɐ ʔ ɛ ɛ ȡ ǖ ů ȡ Ǔ.

Ƀ Ɉ ´ ů ɖ ɜ ɞ ʛ

ɟ ɖ ɛ ɸ ɞ ɨ Ⱥ ɟ ɔ Ǔ ů Ǘ ɟ ɸ ɞ ɠ

Ѐ Ǔ ɨ ǝ ɞ ʛ ʔ ɖ ů ɷ Ǔ ɜ ʏ ǝ ɖ ʛ

DVM, ɟ ɖ ɛ ɸ ɟ ʛ MSc

ȼ ɞ ´ Ǔ ɟ ɜ ´ ɷ̈́ ǖ ´ ɞ ɛ ɖ ǖ ɸ ɟ ű ɣ ɟ ů ɖ ǝ ů ɸ Ǘ ɞ ɜ ɸ ɐ ɠ ´ ɞ ɔ ɟ Ǘ ű ɐ ǝ Ǔ ǝ ǔ ů ɛ ´ ɞ ɟ ů ɛ Ǔ Ǔ ɛ Ǔ ´ Ǔ ɟ Ǔ ɛ ȡ ů ɞ ɤ ȷ ɸ ʛ Ǘ ɖ ɔ ɟ Ǔ ´ ǖ ɐ ɣ ɔ ǝ ɟ ɷ̈́ ɖ ǖ ɞ ʛ Ǘ ɟ ɔ Ǔ ů Ǘ ɟ ɟ ɞ ɠ , ´ Ǔ ɟ ʏ ɛ ɟ ɜ ɞ ů ů ´ ǝ ɟ ɖ ɛ ɟ ű ɐ.

ȼ Ǔ Ǔ ´ ɞ ǖ ů ɣ ů ɛ Ǔ ǖ Ǘ ŕ ɜ Ǔ ɜ Ǔ ǝ ɵ ů Ǔ ɜ Ǔ ű ɣ ɟ ɞ ɜ ǖ ɸ ɛ ɟ ɜ ɞ ů ǖ ǖ ǔ ů ɛ Ǔ ǖ ǖ ´ ɞ ɠ ů Ǘ ŕ ů ȡ ɖ ǝ Ǔ ɷ. Ƀ ɞ ɖ ɛ ɸ ɞ ʛ ǝ Ǔ ɛ ɞ ȡ ɛ ɞ ɔ ɞ ɸ ɞ ʛ ǔ ɞ ɸ ɐ ʏ ʛ ´ ɟ Ǔ ɛ Ǔ ǖ ´ ɞ ɨ ɜ ǖ ǖ ǝ ů ɖ ɜ ʏ ɟ Ǔ ǖ ɞ ɠ ´ ɞ ǝ Ǘ ǖ ů ɛ Ǔ ǖ ɞ ʛ.

* ɸ ɞ ɐ ɐ ů Ǘ ɟ ʛ ´ ǖ ɞ ɠ ǔ ɞ Ǔ ɷ̈́ Ǘ ɟ ů ɖ ʛ.